

Mational High-tech Enterprises





Product Introduction

3.5" Folding Impeller Series adopts whole-stage floating structure, high-strength and abrasion-resistant modified composite PC for impeller and diffuser, large flow, high lift.



Performance Characteristics



Performance characteristics:


- 1. High-grade Stainless steel for casing of motor and pump, shaft coupling, fastener, etc, elegant appearance, strong decay resistance, outstanding durability;
- 2. High-efficient and energy-saving motor is suitable for drinking water, filled with food-grade white oil, non-toxit and pollution-free;
- 3. Motor has a built-in oil bag, largely regulating motor pressure. When motor internal pressure change, the oil bag will balance the pressure of the inside and outside, expanding the motor diving depth range, and lubricating the mechanical sealing static ring, to prolong its service life;
- 4. Adopting the flow field simulation design of CFD and the finite element analysis method, using the computer-aided design software such as CAD, Inventor, etc, to visualize the product structure;
- 5. The installation of the motor rotor conforms to "NEMA" standard;
- 6. Folding impeller adopts whole-stage floating structure, high-strength and abrasion-resistant modified composite PC for impeller and diffuser, large flow, high lift.



3.5" Folding Impeller Series material of spare parts

MODEL ANALYSIS:

90 QJ 2-28 /7



Part Name	Material	Part Name	Material		
Pump Casing	304/201	Top bearing chock	HT200		
Discharge Head/Outlet	HT200	Bottom bearing chock	HT200		
Connector/Inlet	HT200	Mechanical Seal	Ceramic-graphite		
Bowl	ABS	Rotator	304—45#Weld		
Impeller	PC	Bearing	C&U		
Coupling	304	Oil	Food-grade machine oil		
Motor Casing	304/201				




90QJ2 TECHNICAL DATA

Item Number	Po	Power		Flow	0	0.4	0.8	4.0	1.6	2	2.4	2.8	3.2
item Number	HP	KW	diameter inch	(m³/h)	(m³/h)	0.4	0.0	1.2	1.6	2	2.4	2.0	3.2
90QJ2-28/7	0.5	0.37	1"	Head (m)	42	40	38	33	30	28	26	22	18
90QJ2-36/9	0.75	0.55			55	52	50	42	39	36	32	28	21
90QJ2-48/12	1	0.75			69	65	63	54	51	48	42	39	31
90QJ2-63/14	1.5	1.1			76	72	69	65	60	56	49	43	36
90QJ2-76/17	2	1.5			97	92	88	83	73	68	60	52	44
90QJ2-85/19	3	2.2			104	99	94	90	81	76	67	58	49
90QJ2-115/25	4	3			136	130	123	116	107	100	87	77	64

Note: Technical parameters are subject to change without notice.








Performance Curve



Mechanical Parameters



Dumn Tyno	Size(mm)								
Pump Type	А	В	С	D					
90QJ2-28/7	421		88	783					
90QJ2-36/9	473		88	885					
90QJ2-48/12	551		88	953					
90QJ2-63/14	603	1"	88	1040					
90QJ2-76/17	680		88	1137					
90QJ2-85/19	765		88	1247					
90QJ2-115/25	919		88	1436					




90QJ4 TECHNICAL DATA

Item Number	Power		Outlet diamete	Flow	0	0.8	1.6	2.4	3.2	4	4.8	5.6	6.4
Remitanise	HP	KW	r inch	(m³/h)	O	0.0	1.0		0.2		1.0	5.5	
90QJ4-21/7	0.75	0.55			35	33	31	28	25	21	16	11	6
90QJ4-27/9	1	0.75			46	43	41	37	33	27	20	14	8
90QJ4-33/11	1.5	1.1	411/4 511		55	51	49	44	39	33	25	17	10
90QJ4-39/13	2	1.5	1"/1.5"	/1.5" Head (m)	68	63	60	54	48	39	29	20	12
90QJ4-48/16	3	2.2			76	70	67	60	54	48	36	25	15
90QJ4-60/20	4	3			94	87	83	74	67	60	45	31	18

Note: Technical parameters are subject to change without notice.








Performance Curve



Mechanical Parameters



Dumn Tuno	Size(mm)							
Pump Type	А	В	С	D				
90QJ4-21/7	479		88	861				
90QJ4-27/9	558	1"	88	960				
90QJ4-33/11	637		88	1074				
90QJ4-39/13	717	 	88	1174				
90QJ4-48/16	871		88	1353				
90QJ4-60/20	1029		88	1546				



Mechanical Parameters



Animal Husbandry



Agriculture



High pressure water delivery



Dryland essential machine



Building Industry



Increase pressure



Mining



Industrial salt essential



Parts List





Company Profiles



Jinba Industry & Trade Co., Ltd, founded in 1998 (formerly known as Taizhou Jinba Industry & Trade Co., Ltd), is located in the town of water pump in wenling city zhejiang province, which is beautiful, wealthy and rapidly developed. Jinba is one of senior enterprises in the industry of deep well pump, a collection of research, development, manufacturing and sales, enjoying good reputation both at home and abroad.

Since 20 years ago, Jinba industry has entered the fast lane of high-speed development, accelerated the development pace of research and development, manufacturing and sales, and doubled the scale of assets. Facing the new domestic and foreign market environment and business situation, Jinba industry upholds corporate social responsibility, opening a new chapter of "High efficient, energy saving technology, leading the new era of the deep well pump".



Manufacturing Strength





Contact Details



E-MAIL

jinba@cn-jinba.com sales@cn

sales@cn-jinba.com

sales@jinbapump.com

PHONE

0576-89977567

0576-89977560

FAX

0576-86382389

ADD

SHANGTANTOU INDUSTRIAL PARK, DAXI TOWN, WENLING CITY, ZHEJIANG PROVINCE, CHINA